

# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones

24-128



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- **1.1 Product identifier:** OXY CLEAN CL 17 Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128
- **1.2** Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: General cleaner

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:** EVOCHEM S.A.

Tzaverdella Place 133 41 PHIL1 , ATTICA - GREECE Phone.: 0030 210 5590460 , 0030 210 5590155 -Fax: 0030 210 6254737 , 0030 210 5590244 info@evochem.gr; vmergoupis@evochem.gr; sales@evochem.gr www.evochem.gr

1.4 Emergency telephone number: National Poisoning Center 2107793777

# SECTION 2: HAZARDS IDENTIFICATION \*\*

## 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1A: Skin corrosion, Category 1A, H314 STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

## 2.2 Label elements:

## CLP Regulation (EC) nº 1272/2008:

Danger



#### Hazard statements:

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage STOT SE 3: H335 - May cause respiratory irritation

## **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

- P102: Keep out of reach of children
- P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

### Substances that contribute to the classification

Hydrochloric acid

# 2.3 Other hazards:


Product fails to meet PBT/vPvB criteria

\*\* Changes with regards to the previous version

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable





# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### 3.2 Mixture:

Chemical description: Acid solution

## Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		Concentration
CAS: Non-applicable EC: 231-595-7 Index: 017-002-01-X REACH 01-2119484862-27-XXX	Hydrochloric acid         1           Regulation 1272/2008         Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	ATP CLP00	9,9 - <19 %
CAS: 67-63-0 EC: 200-661-7 Index: 603-117-00-0 REAU: 01-2119457558-25-XXX	Propan-2-ol 1 Regulation 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	ATP CLP00	4,9 - <9,9 %
CAS: 219756-63-5 EC: Non-applicable Index: Non-applicable REACH Non-applicable	Alkylether sulphate 7 EO, sodium salt 1         Regulation 1272/2008         Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	Self-classified	0,9 - <2,4 %
CAS: 107-98-2 EC: 203-539-1 Index: 603-064-00-3 REACH 01-2119457435-35-XXX	1-methoxy-2-propanol 2         Regulation 1272/2008       Flam. Liq. 3: H226; STOT SE 3: H336 - Warning	ATP ATP01	0,24 - <0,9 %

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830 <sup>2</sup> Substance with a Union workplace exposure limit

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

## By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones





## SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, manipulation and use, containing flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid projections and pulverizations. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

7.2

Minimum Temp.: 5 °C



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



# SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 35 °C Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Identification		Environmental limits			
1-methoxy-2-propanol	IOELV (8h)	100 ppm	375 mg/m <sup>3</sup>		
CAS: 107-98-2	IOELV (STEL)	150 ppm	563 mg/m <sup>3</sup>		
EC: 203-539-1		2017			

## DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Hydrochloric acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-595-7	Inhalation	Non-applicable	15 mg/m <sup>3</sup>	Non-applicable	8 mg/m <sup>3</sup>
Propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	50,6 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	553,5 mg/m <sup>3</sup>	369 mg/m <sup>3</sup>	Non-applicable

# DNEL (General population):

			Short	exposure	Long	exposure
Identification	1		Systemic	Local	Systemic	Local
Propan-2-ol		Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0		Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7		Inhalation	Non-applicable	Non-applicable	89 mg/m <sup>3</sup>	Non-applicable
1-methoxy-2-propanol		Oral	Non-applicable	Non-applicable	3,3 mg/kg	Non-applicable
CAS: 107-98-2		Dermal	Non-applicable	Non-applicable	18,1 mg/kg	Non-applicable
EC: 203-539-1		Inhalation	Non-applicable	Non-applicable	43,9 mg/m <sup>3</sup>	Non-applicable

PNÉC:

Identification				
Hydrochloric acid	STP	0,036 mg/L	Fresh water	0,036 mg/L
CAS: Non-applicable	Soil	Non-applicable	Marine water	0,036 mg/L
EC: 231-595-7	Intermittent	0,045 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	160 g/kg	Sediment (Marine water)	552 mg/kg
1-methoxy-2-propanol	STP	100 mg/L	Fresh water	10 mg/L
CAS: 107-98-2	Soil	5,49 mg/kg	Marine water	1 mg/L
EC: 203-539-1	Intermittent	100 mg/L	Sediment (Fresh water)	52,3 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	5,2 mg/kg



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

#### D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1

#### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2002		DIN 12 899 ISO 3864-1:2002
Emergency shower		Eyewash stations	

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	8,38 % weigh	nt
V.O.C. density at 20 °C:	88,49 kg/m <sup>3</sup>	(88,49 g/L)
Average carbon number:	3,05	
Average molecular weight:	61,6 g/mol	



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



SECT	ION 9: PHYSICAL AND CHEMICAL PROPERTIES	
9.1	Information on basic physical and chemical prope	erties:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Transparent
	Colour:	Colourless
	Odour:	Not available
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	98 °C
	Vapour pressure at 20 °C:	2430 Pa
	Vapour pressure at 50 °C:	12767 Pa (13 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1056 kg/m³
	Relative density at 20 °C:	1,056
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	1
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	100 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	287 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	Nex analizable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index: *Not relevant due to the nature of the product, not providing information of the product of t	Non-applicable *
	mot relevant due to the nature of the product, not providing information	

# SECTION 10: STABILITY AND REACTIVITY



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



SECT	TON 10: STABILITY AND	REACTIVITY (continue	ed)					
10.1	Reactivity:							
	No hazardous reactions are o	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.						
10.2	Chemical stability:							
	-							
10.3	Chemically stable under the conditions of storage, handling and use. Possibility of hazardous reactions:							
10.0	Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.							
10.4	4 Conditions to avoid:							
10.4								
	Applicable for handling and storage at room temperature:							
	Shock and friction Not applicable	Contact with air Not applicable	Increase in temperature Precaution	Sunlight Precaution	Humidity Not applicable			
10 5			recould	Trecoution				
10.5	Incompatible materials:							
	Acids	Water Not applicable	Combustive materials Precaution	Combustible materials Not applicable	Others Avoid alkalis or strong bases			
	Not applicable		Precaution	Not applicable	Avoid aikalis of strong bases			
10.6	Hazardous decomposition See subsection 10.3, 10.4 ar	•						
	TON 11: TOXICOLOGICAL Information on toxicolog							
	The experimental informatio		cal properties of the produ	ict itself is not available				
	Contains glycols. With possib periods of time. Dangerous health implica		zardous to the health, it is	recommended not to bre	eathe the vapours for long			
	In case of exposure that is ruit may result in adverse effect A Ingestion (acute effect):			n recommended by the oc	ccupational exposure limits,			
	<ul> <li>Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.</li> <li>Corrosivity/Irritability: Corrosive product, its consumption causes burns destroying the full thickness of fabrics. For more information on the secondary effects of contact with the skin see section 2.</li> </ul>							
	B- Inhalation (acute effect):							
	dangerous for inhalation.	. For more information see	e section 3.		ain substances classified as the upper respiratory tract			
	C- Contact with the skin and	d the eyes (acute effect):						
	- Contact with the skin more information on the			thicknesses can be destro	yed, resulting in burns. For			

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

G- Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# Other information:

Non-applicable

## Specific toxicology information on the substances:

Identification		Acute toxicity		Genus
Propan-2-ol		LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0		LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7		LC50 inhalation	72,6 mg/L (4 h)	Rat

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
1-methoxy-2-propanol		20800 mg/L (96 h)	Pimephales promelas	Fish
CAS: 107-98-2	EC50	23300 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-539-1	EC50	1000 mg/L (168 h)	Selenastrum capricornutum	Algae

# 12.2 Persistence and degradability:

Identification	D	egradability	Biodegradability	
Propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0.53	% Biodegradable	86 %
1-methoxy-2-propanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 107-98-2	COD	Non-applicable	Period	28 days
EC: 203-539-1	BOD5/COD	Non-applicable	% Biodegradable	90 %

#### 12.3 Bioaccumulative potential:

Identification	Bio	Bioaccumulation potential		
Propan-2-ol	BCF	3		
CAS: 67-63-0	Pow Log	0.05		
EC: 200-661-7	Potential	Low		
1-methoxy-2-propanol	BCF	3		
CAS: 107-98-2	Pow Log	-0.44		
EC: 203-539-1	Potential	Low		
Mohility in soil:				



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



	Identification	Absorption/desorption		Volatility	
	Propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m <sup>3</sup> /mol
	CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
	EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes
2.5	Results of PBT and vPvB assessment:	•			
	Product fails to meet PBT/vPvB criteria				
2.6	Other adverse effects:				
	Not described				

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 14*	Acids	Dangerous

# Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

## **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC)  $n^{0}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

## Transport of dangerous goods by land:

With regard to ADR 2017 and RID 2017:

	14.1	UN number:	UN1760					
	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid )					
		Transport hazard class(es):	8					
		Labels:	8					
8	14.4	Packing group:	II					
	14.5	Environmental hazards:	No					
	14.6	Special precautions for user						
		Special regulations:	274					
		Tunnel restriction code:	E					
		Physico-Chemical properties:	see section 9					
		Limited quantities:	1 L					
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable					
Transport of da	Transport of dangerous goods by sea:							
With regard to IM	IDG 38-	-16:						



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones 24-128



SECTION 14: TRANSPORT INFORMATION (continued)						
<b>14.1 UN number:</b> UN1760						
Â		UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid )			
	14.3	Transport hazard class(es): Labels:	8			
		2450.01				
		Packing group:				
N°/	14.5	Environmental hazards:	No			
~	14.6	Special precautions for user				
		Special regulations:	274			
		EmS Codes:	F-A, S-B			
		Physico-Chemical properties:	see section 9			
		Limited quantities:	11			
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable			
Transport of da	ngerou	us goods by air:				
With regard to IA	TA/ICA	O 2017:				
Â	14.1	UN number:	UN1760			
	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid )			
		Transport hazard class(es):	8			
		Labels:	8			
8	14.4	Packing group:	П			
V		Environmental hazards:	No			
	14.6	Special precautions for user				
		Physico-Chemical properties:	see section 9			
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable			
	TODY					
SECTION 15: REGULA	TORY	INFORMATION				
15.1 Safety, health ar	nd envi	ironmental regulations/legislati	on specific for the substance or mixture:			
			(EC) 1907/2006 (REACH): Non-applicable			
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable					
Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable						

Article 95, REGULATION (EU) No 528/2012: Hydrochloric acid (Product-type 2); Propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

## Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.



# OXY CLEAN CL 17 - Extra strong cleaner for ceramic tiles, tiles grouts & stones



# 24-128

# SECTION 16: OTHER INFORMATION

## Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Nº 1907/2006 (Regulation (EC) Nº 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) nº 1272/2008 (SECTION 2, SECTION 16): • Precautionary statements

#### Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

H335: May cause respiratory irritation

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) nº 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Flam. Liq. 3: H226 - Flammable liquid and vapour Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Skin Irrit. 2: H315 - Causes skin irritation STOT SE 3: H335 - May cause respiratory irritation STOT SE 3: H336 - May cause drowsiness or dizziness

#### Classification procedure:

Skin Corr. 1A: Calculation method Eye Dam. 1: Calculation method STOT SE 3: Calculation method

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol–water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.