

Solvents SWAN FAST DRIER

Technical Data Sheet

Reviewed: 06.06.2015



DESCRIPTION

SWAN FAST DRIER is a chemical additive based on organometallic salts. It is necessary for fast and complete curing of oil based putties and linseed oil.

APPLICATIONS

- Additive for putties
- Additive for linseed oil

TECHNICAL CHARACTERISTICS

Type: Mixture of driers Consistency: Liquid Colour: Brown

Smell: Characteristic of solvents

Relative density: 0,91 ± 0,05 gr/cm³ 25°C

Viscosity: 200 ± 30 cps 25°C Flammability: Flammable

STORAGE

Products should be stored in a dry and cool place at a temperature of 5°C -35°C, away from sources of ignition. Protect from humidity and direct sunlight.

SHELF LIFE

12 months from the production date in the above mentioned storage conditions. The product should remain in the original unopened packaging bearing the manufacturer's batch number.

PACKAGING

500ml

PACKAGING	CODE	BARCODE
500ml	06046	5204094060468

HEALTH AND SAFETY INFORMATION



Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled Flam. Liq. 3: H226 - Flammable liquid and vapour Repr. 2: H361d - Suspected of damaging the unborn child. Skin Irrit. 2: H315 - Causes skin irritation P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P264: Wash thoroughly after use P280: Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378: In case of fire: Use ABC powder extinguisher to extinguish. P501: Dispose of contents and / or their container according to the separated collection system used in your municipality. Substances that contribute to the classification: Octanoic acid, manganese salt; 2-ethylhexanoic acid, zirconium salt; 1,2,4-trimethylbenzene

The directives contained in this technical data sheet are the result of our long experience from real life applications and the research testing of our research and development laboratory and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications, which are beyond our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments. We are liable only for our products for being free from faults and of consistent quality. Users are responsible for complying with local legislation and for obtaining any required approvals or authorizations. The present edition of this technical datasheet automatically cancels any previous ones concerning the same product.





EVOCHEM S.A.

Tzaverdella place 13341, Fyli, Attica, Greece Tel.: 210 5590460, 210 5590155 Fax: 210 5590244 E-mail: info@evochem.gr Website: www.evochem.gr







